| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 11 | "5850593".pn.",5890054".pn.", 9937355".pn.",5705980".pn.", 5689802".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 12:03 |
| S2 | 10 | "5850593".pn.",5890054".pn.", 5937355".pn.",5705980".pn.", 5689802".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 12:55 |
| S3 | 46 | (re$1connect$3 re$register) near7 (tim$3 period interval) near5 (message call) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 12:58 |
| S4 | 19 | ("5307399" \| "5311570" \| "5566225" \| "5566236" \| "5574774" \| "5752185").PN. OR ("6032040"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 13:26 |
| S5 | 2 | ((disconnect$3 drop$3) near4 call ) near5 ((stor$3 sav$3) near4 (message call)) near4 (server computer network) and 455/412.1, 11.1,13.1,510,67:11,436,563,421, 414.1.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:05 |
| S6 | 31 | ("5023900" \| "5297193" \| "5410753" \| "5471649" \| "5542120" \| "5561839" \| "5610910" \| "5706333" \| "5710978" \| "5719563" \| "5734696" \| "5768689").PN. OR ("5987306").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 13:39 |
| S7 | 68 | 455/510.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:01 |
| S8 | 2938 | call near drop$4 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:01 |
| S9 | 1413 | S8 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:01 |
| S10 | 116 | S9 and reconnect$ | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:02 |
| S11 | 15 | S10 and 455/417.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:02 |

| S12 | 429 | ((((disconnect$3 drop$3) near4 call)).ab. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:05 |
|-----|-----|------|------|-----|-----|------|
| S13 | 185 | S12 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:06 |
| S14 | 12 | S13 and 455/412.1,412.2,413.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:03 |
| S15 | 34 | ("4675863" \| "4811380" \| "4945570" \| "5023900" \| "5095500" \| "5095503" \| "5153903" \| "5173933" \| "5239571" \| "5303297" \| "5327578" \| "5442679" \| "5481592" \| "5488640" \| "5490204" \| "5544224" \| "5566225" \| "5566236" \| "5590177" \| "5711006" \| "5751794" \| "5752185" \| "5781864").PN. OR ("5995830"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:11 |
| S16 | 34 | ("4675863" \| "4811380" \| "4945570" \| "5023900" \| "5095500" \| "5095503" \| "5153903" \| "5173933" \| "5239571" \| "5303297" \| "5327578" \| "5442679" \| "5481592" \| "5488640" \| "5490204" \| "5544224" \| "5566225" \| "5566236" \| "5590177" \| "5711006" \| "5751794" \| "5752185" \| "5781864").PN. OR ("5995830"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 14:30 |
| S17 | 34 | ("4675863" \| "4811380" \| "4945570" \| "5023900" \| "5095500" \| "5095503" \| "5153903" \| "5173933" \| "5239571" \| "5303297" \| "5327578" \| "5442679" \| "5481592" \| "5488640" \| "5490204" \| "5544224" \| "5566225" \| "5566236" \| "5590177" \| "5711006" \| "5751794" \| "5752185" \| "5781864").PN. OR ("5995830"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 16:38 |
| S18 | 1 | "6721572".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 16:38 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S19 | 18 | ("4814711" \| "5189734" \| "5235633" \| "5257406" \| "5568654" \| "5877695" \| "6005848" \| "6011973" \| "6038444" \| "6097958" \| "6128485" \| "6205330" \| "6327471" \| "6343212" \| "6349206" \| "6363335" \| "6421544" \| "6597906").PN. OR ("6721572").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 16:40 |
| S20 | 39 | (server with (re$1connect$3 re$1register) near5 call) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:05 |
| S21 | 311 | (server near3 (sav$3 stor$3) near3 (message call)) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:03 |
| S22 | 311 | (server near3 (sav$3 stor$3) near3 (message call)) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:03 |
| S23 | 429 | (((disconnect$3 drop$3) near4 call)).ab. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:04 |
| S24 | 185 | S23 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:04 |
| S25 | 12 | S24 and 455/412.1,412.2,413.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:04 |
| S26 | 6558 | (server with (re$1connect$3 re$1register) near5 call) 455/436, 412.1,11.1,13.1,510,67.11,563,414.1.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:22 |
| S27 | 7299 | (server near4 (stor$3 sav$3) near5 (message call) near6 (re$1connect$3 re$register$3) ) 455/436,412.1,11.1,13.1,510,67.11,563,414.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:27 |
| S28 | 7297 | (server near3 (stor$3 sav$3) near3 (message call) near4 (re$1connect$3 re$register$3) ) 455/436,412.1,11.1,13.1,510,67.11,563,414.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:16 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S29 | 7297 | (server near (stor$3 sav$3) near (message call) near4 (re$1connect$3 re$register$3) ) 455/436,412.1,11.1,13.1,510,67.11, 563,414.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:18 |
| S30 | 0 | (server near (stor$3 sav$3) near (message call) near4 (re$1connect$3 re$register$3) ) and 455/436,412.1,11.1,13.1,510,67.11, 563,414.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:18 |
| S31 | 4 | (server with (re$1connect$3 re$1register) near5 call) and 455/436,412.1,11.1,13.1,510,67.11, 563,414.1.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:23 |
| S32 | 2 | (server near4 (stor$3 sav$3) near5 (message call) near6 (re$1connect$3 re$register$3) ) and 455/436,412.1,11.1,13.1,510,67.11, 563,414.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:30 |
| S33 | 33980 | (send$3 transmit$3) near3 (call message) near3 (server network processor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:32 |
| S34 | 3145 | (send$3 transmit$3) near3 (call message) near3 (server network) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:33 |
| S35 | 1064 | (send$3 transmit$3) near3 (call message) near3 (server "network server") and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:33 |
| S36 | 308 | S35 and S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:39 |
| S37 | 1178 | (send$3 transmit$4) near3 (message call) near4 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:40 |

| S38 | 236 | S37 and (server near5 (stor$3 sav$3) near2 (message call)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:46 |
|---|---|---|---|---|---|---|
| S39 | 26 | S38 and (re$1connect$3 re$register$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/30 17:47 |
| S40 | 13 | ("5173933" \| "5448623" \| "5509004" \| "5852779" \| "5878347" \| "5884179" \| "5915222").PN. OR ("6064882").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/30 17:52 |
| S41 | 15143 | (transmit$4 send$3) near3 (call message) near3 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:36 |
| S42 | 0 | S41 and "455".ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:36 |
| S43 | 1097 | S41 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:37 |
| S44 | 313 | S43 and 455/414.1,563,436,510, 412.1,412.2.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:39 |
| S45 | 299 | S44 and (re$1register$3 re$1connect$3 communicat$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:41 |
| S46 | 19 | S44 and ((re$1register$3 re$1connect$3) and communicat$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:53 |

| S47 | 27237 | server near3 (receiv$3 sav$3) near3 (call message data voice speech) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:55 |
|---|---|---|---|---|---|---|
| S48 | 1410 | S47 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 07:55 |
| S49 | 121 | S48 and (re$1register$3 re$1connect$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 09:42 |
| S50 | 13834 | server near3 (transmit$4 send$3) near3 (acknowledg$5 confirm$5 message) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 09:57 |
| S51 | 947 | S50 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 09:57 |
| S52 | 306 | S51 and 455/423,412.1,412.2,414.1, 414.2,510,436,421.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 10:01 |
| S53 | 18 | S52 and (re$1connect$3 re$1register$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/01 10:02 |
| S54 | 12526 | server near3 (send$3 transmit$4) near3 (acknowlegd$3 message) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 09:56 |

| S55 | 889 | server near3 (send$3 transmit$4) near3 (acknowlegd$3 message) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:18 |
|---|---|---|---|---|---|---|
| S56 | 259 | S55 and (request$3 ask$3) near3 message near4 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:00 |
| S57 | 259 | S56 and S55 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:01 |
| S58 | 0 | server near3 (send$3 transmit$4 receiv$3) near3 (acknowlegd$3) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:21 |
| S59 | 0 | server near3 (send$3 transmit$4 receiv$3) near3 (acknowlegd$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:22 |
| S60 | 0 | server near3 (send$3 transmit$4 receiv$3) with (acknowlegd$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:22 |
| S61 | 0 | server with (send$3 transmit$4 receiv$3) with (acknowlegd$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 10:22 |
| S62 | 0 | server same (send$3 transmit$4 receiv$3) same(acknowlegd$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 11:41 |

| S63 | 13 | (acknowledg$3 near10 receiv$3 near10 (server or user or party or "called party" or sender)) and 455/412.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 12:32 |
|-----|-----|------|------|------|------|------|
| S64 | 1034 | server near5 (transmit$4 send$3) near5 (acknowledg$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 12:34 |
| S65 | 61 | server near5 (transmit$4 send$3) near5 (acknowledg$4) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 13:17 |
| S66 | 27747 | (send$3 transmit$4 receiv$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 13:19 |
| S67 | 3476 | (send$3 transmit$4 receiv$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 13:19 |
| S68 | 119 | (send$3 transmit$4 receiv$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") with server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:02 |
| S69 | 119 | (send$3 transmit$4 receiv$3 present$3 display$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") with server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 16:04 |
| S70 | 2 | "6230019".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:31 |

| S71 | 2 | "6788929".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:38 |
|-----|-----|-----|-----|-----|-----|-----|
| S72 | 8459 | (request$3 send$3 transmit$4) near6 (stor$3 sav$3) near3 (call message data) near5 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:43 |
| S73 | 366 | (request$3 send$3 transmit$4) near6 (stor$3 sav$3) near3 (call message data) near5 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:45 |
| S74 | 202 | (request$3 send$3 transmit$4) near4 (stor$3 sav$3) near3 (call message data) near3 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:53 |
| S75 | 43 | (request$3 send$3 transmit$4) near4 (stor$3 sav$3) near3 (call message data) near3 server and "455"/412.1,412.2.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 15:54 |
| S76 | 65 | (send$3 transmit$4 receiv$3 present$3 display$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") near2 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 16:28 |
| S77 | 2702 | (send$3 transmit$4 present$3 display$3) near3 (ACK NACK acknowledg$4 "negative acknowledg$4") and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 16:31 |
| S78 | 2678 | (send$3 transmit$4 present$3 display$3) near3 (ACK acknowledg$4) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 16:31 |

| S79 | 96 | (send$3 transmit$4 present$3 display$3) near3 (ACK acknowledg$4) and "455"/412.1, 412.2,510,421.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 17:14 |
|-----|------|---|---|---|---|---|
| S80 | 1318 | (request recall) near3 (stor$3 sav$3 memory) near3 (data call message) near5 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 17:26 |
| S81 | 50 | (request recall) near3 (stor$3 sav$3 memory) near3 (data call message) near5 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 17:17 |
| S82 | 35 | ("5438611" \| "5461667" \| "5487100" \| "5579472" \| "5809415" \| "5822692" \| "5903652" \| "5933478" \| "5987609" \| "6006087" \| "6014559" \| "6052735" \| "6055426" \| "6065120" \| "6094681" \| "6101244" \| "6108688" \| "6181736").PN. OR ("6289212"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/07/05 17:25 |
| S83 | 933 | (request recall) near3 (stor$3 sav$3) near3 (data call message voice) near3 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 17:26 |
| S84 | 38 | (request recall) near3 (stor$3 sav$3) near3 (data call message voice) near3 server and "455"/$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/05 17:27 |
| S85 | 839 | (retriev$3 request$3 recall$3) near3 (Stor$3 sent sav$3 transmit$4) near4 (message call) and 455/421, 412.1,412.2,510,436,563,414.1,414. 2,67.11.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 09:08 |
| S86 | 127 | (retriev$3 request$3 recall$3) near3 (Stor$3 sent sav$3 transmit$4) near4 (message call) same server and 455/421,412.1,412.2,510,436, 563,414.1,414.2,67.11.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 09:18 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S87 | 3900 | server near2 (sav$3 stor$3) near3 (call message mail) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 09:35 |
| S88 | 278 | server near2 (sav$3 stor$3) near3 (call message mail) and "455"/$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 09:36 |
| S89 | 117 | server near2 (sav$3 stor$3) near3 (call message mail) and "455"/412. 1,412.2,414.1,414.2,510.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 09:37 |
| S90 | 50 | S85 and S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 10:11 |
| S91 | 2749 | (ask$3 request$3) with (sav$3 stor$3) near message | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 10:12 |
| S92 | 307 | (ask$3 request$3) with (sav$3 stor$3) near message and "455"/$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 10:21 |
| S93 | 28 | (ask$3 request$3) with (sav$3 stor$3) near message near5 server and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 11:11 |
| S94 | 696 | server near2 (transmit$4 send$3) near3 (message) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 11:12 |

| S95 | 44 | server near2 (transmit$4 send$3) near3 (previous sent stor$3 sav$3) near3 (message) and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 12:22 |
|---|---|---|---|---|---|---|
| S96 | 1972 | (request$3 ask$3) near3 (sav$3 stor$3) near2 message | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 12:23 |
| S97 | 222 | (request$3 ask$3) near3 (sav$3 stor$3) near2 message and "455"/$. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/06 12:23 |